Author Index

Abdo, Sh. M. 184–186
Adams, W. W. 10–13
Aerdts, A. 80–83
van Aerle, N. A. J. M. 7–10
Agarwal, P. K. 264–267
Agravat, A. 89–92
Akutsu, F. 182–183
Al-Turki, T. M. 72–73
Ando, H. 58–61
Aoroy, P. 272–274

Balke, S. T. 304–306
Bamford, C. H. 36–38
Bauer, B. J. 19–21
Bazan, G. 258–260
Behari, K. 372–375
Benninghoven, A. 74–77
Bergeron, J.-Y. 308–310
Binder, K. 205–209
Biswas, M. 225–228
Bovey, F. A. 356–359
Bowcher, T. L. 215–217
Braam, A. W. M. 7–10
Brown, R. A. 349–352
Brumby, S. 13–15
Bruno, K. R. 310–312
Bubeck, R. A. 25–27

Cansell, F. 234–236
Cao, Y. 196–199
Cavallo, L. 16–19, 236–238
Challa, G. 116–120
Chang, W. V. 278–281
Charlson, E. J. 165–169
Charlson, E. M. 165–169
Chen, C. T. 334–335
Chen, S. 292–295
Cheung, M. F. 322–324
Chevalier, J.-W. 308–310
Clark, J. N. 212–214
Clarson, S. J. 275–277
Cohen, J. 223–224
Corradini, P. 16–19, 236–238, 281–285
Coyne, L. D. 312–314
Crist, B. 69–71
Croxton, C. A. 139–143
Cuadrado, T. R. 239–240
Cywinski, R. 98–101
Czarnik, A. W. 171–173

Dao, L. H. 149–151, 308–310
Davis, D. D. 356–359
Davis, F. J. 98–101
Davis, T. P. 317–319
Dawber, J. G. 215–217
De Rosa, C. 281–285
De Silva, G. P. H. L. 220–223
Defieuw, G. 267–270
Deorukhkar, D. D. 341–343
Depero, L. 157–160
Diaz, F. R. 241–242
Diaz-Calleja, R. 270–272
Doi, Y. 169–171
Dworak, A. 376–378

van Ekenstein, G. O. R. A. 28–31
El-Farahaty, K. A. 186–189
El-Tonsy, M. M. 186–189

Fabre, D. 234–236
Fang, M.-C. 339–340
Faust, A. B. 146–149
Favier, J. C. 248–250
Feast, W. J. 258–260
Ferruti, P. 157–160
Fleischer, G. 361–363
Formoy, T. R. 86–89
Fortunato, B. 55–57
Fouassier, J. P. 245–248
Fouda, I. M. 186–189
Fujita, M. 200–201
Fukutomi, T. 243–244
Fukuzono, T. 22–24
Futatsugi, M. 22–24

Garbarczyk, J. 153–157
Gargallo, L. 241–242
Gast, A. P. 324–326
Gibson, V. C. 258–260
Gilmer, J. W. 146–149
Godoy, A. 241–242
Golovoy, A. 322–324
Gomez-Ribelles, J. L. 270–272
Gong, X. F. 278–281
Goodwin, A. A. 288–292
Gopalan, A. 136–138
Groeninckx, G. 267–270
Guay, J. 149–151
Guerra, G. 16–19, 281–285
Gupta, K. C. 372–375
Gupta, V. B. 341–343

Hadjichristidis, N. 174–176
Hall, L. D. 363–366
Halter, A. 302–304
Hammouda, B. H. 25–27
Hampsch, H. L. 40–43
Hamza, A. A. 186–189
Han, C. C. 143–146
Hanley, B. 19–21
Hanna, S. 1–4
Hannon, A. C. 98–101
Hashimoto, T. 45–47, 177–179
Hay, J. N. 77–80, 288–292
Heeger, A. J. 196–199
Herring, F. G. 212–214
Hervet, H. 272–274
Higgins, J. S. 133–135, 162–165
Hindeleh, A. M. 184–186
Hoekstra, J. 116–120
Honda, K. 200–201
Horrion, J. 264–267
Hosoda, S. 83–85

Ichimura, K. 108–110
Inomota, H. 203–205
Ishikawa, N. 43–44
Ishikawa, S. 243–244
Ishizu, K. 209–211
Iwabuchi, S. 58–61
Izumitani, T. 45–47

Jagannathan, N. R. 212–214
Jain, P. C. 229–231
Jaycox, G. D. 354–356
Jezzard, P. 363–366
Jin, Y. 292–295
Jinnai, H. 177–179
Jones, D. A. 201–203

Kammer, H. W. 359–361
Kanakarajan, K. 171–173
Kang, E. T. 48–50
Kawaguchi, H. 58–61
Keller, A. 130–132, 298–301, 302–304
Kemmish, D. J. 77–80
Ketels, H. 80–83
Khan, I. M. 52–55
Khosravi, E. 258–260
Kim, H. 143–146
Klepko, V. V. 315–317
Kojima, K. 58–61, 83–85
Kolarz, B. N. 369–371
Komaki, Y. 43–44
Konno, M. 203–205
Koradecki, D. 61–63
Kozak, A. 102–105
Krause, S. J. 10–13
Kressler, J. 359–361
Kroesen, R. A. 116–120
Kumar, S. 285–287
Kumar, T. 306–308
Kunioka, M. 169–171
Kutner, W. 61–63
Kutok, P. 201–203
Kuz'mina, G. I. 121–123
Kvitka, N. A. 121–123

Lee, J. Y. 48–50
Lefelar, J. A. 38–40
Leger, L. 272–274
Legrand, J. F. 251–253
Lemmon, T. J. 1–4
Lemstra, P. J. 7–10
van Leyen, D. 74–77
Li Bass, G. 245–248
Lindner, J. S. 174–176
Lipatov, Y. S. 121–123
Litauszki, B. 359–361
Liu, J.-H. 339–340
Lotz, B. 251–253
Lougnot, D. J. 245–248
Lovinger, A. J. 356–359
Lub, J. 74–77
Luckham, P.F. 220–223
Lukasiak, M. 61–63

Maddams, W. F. 180–181
Mai, Y.-W. 330–331
Manaresi, P. 55–57
Mansfield, M. L. 327–329
Marchessault, R. H. 261–263
Mark, J. E. 275–277
Martin, D. C. 285–287
Matsumoto, Y. 43–44
Matsuo, K. 182–183
Matthews, R. 217–220
Mattice, W. L. 310–312
Mays, J. W. 146–149, 174–176
McLeish, T. C. B. 4–6
McVoy, H. 133–135
Mel'nichenko, Yu. B. 315–317
Meyer, J. G. 116–120
Mitchell, G. R. 98–101
Miura, M. 182–183
Moitra, S. 225–228
Monari, P. 55–57
Moon, Y. B. 196–199
Morris, D. B. 180–181
Muller, A. J. 298–301
Munari, A. 55–57
Munch, M. R. 324–326
Munro, H. S. 217–220, 366–368
Murakoshi, M. 58–61
Muroga, Y. 19–21

Nagy, M. 130–132
Nakahira, T. 58–61
Nakatani, A. I. 143–146
Naruchi, K. 182–183
Nedea, M. E. 261–263
Neoh, K. G. 48–50
Ng, S. 363–366
Ni, S. 123–127, 194–196
Nicora, C. 245–248
Niemela, K. 254–256
Nigam, A. N. 190–192

O'Driscoll, K. F. 317–319
Odell, J. A. 298–301
Oliva, L. 16–19

Otake, K. 203–205

Pai Verneker, V. R. 92–96
Parsons, I. W. 72–73
Paukszta, D. 153–157
Paulson, C. 151–152
Pedley, A. M. 162–165
Peiffer, D. G. 162–165
Pennings, A. J. 28–31
Petitet, J. P. 234–236
Petraccone, V. 281–285
Petzhold, C. 111–114
Postema, A. R. 28–31
Price, C. 349–352
Price, G. J. 89–92
Priel, Z. 223–224
Pritchard, T. 217–220
Pron, A. 61–63

Radic, D. 241–242
Raja, G. D. 372–375
Rakesh, L. 327–329
Randall, P. D. 349–352
Ranucci, E. 157–160
Rennie, A. R. 162–165
Reynaers, H. 267–270
Ribes-Greus, A. 270–272
Roche, E. J. 151–152
Rosovitsky, V. F. 121–123
Ross-Murphy, S. B. 133–135
Runt, J. 334–335

Sabeti, R. 165–169
Saito, S. 203–205
Sakurai, T. 43–44
Salem, D. R. 336–338
Sariban, A. 205–209
Saruyama, Y. 22–24
Satgurunathan, R. 349–352
Schilling, F. C. 356–359
Schluter, A.-D. 34–35
Schmidt-Naake, G. 359–361
Schrock, R. R. 258–260
Segawa, A. 169–171
Seki, T. 108–110
Semlyen, J. A. 86–89
Sett, S. K. 341–343
Shaha, B. 92–96
Sharma, B. K. 343–346, 346–348
Shen, L. 123–127
Shilov, V. V. 315–317
Shimamura, K. 285–287
Shing, K. S. 278–281
Short, R. D. 217–220, 366–368
Sigwalt, P. 248–250
Simon, G. P. 102–105
Sjoerdsma, S. D. 106–108
Sjostrom, E. 254–256
Smid, J. 52–55
Smith, P. 28–31, 66–68, 196–199
Sremcich, P. S. 146–149
Staples, E. 162–165
Stejny, J. 302–304
Sterzynski, T. 153–157
Subbaratnam, N. R. 136–138
Suwalski, J. 61–63
Swarup, S. 190–192

Tadros, Th. F. 220–223
Tagle, L. H. 241–242
Takahashi, Y. 143–146
Takenaka, M. 45–47, 177–179
Tam, K. C. 114–116
Tan, T. C. 48–50
Tang, J. 194–196
Termonia, Y. 66–68
Tiu, C. 114–116
Torkelson, J. M. 40–43
Trochimczuk, A. 369–371
Trzebicka, B. 376–378
Tsitsilianis, C. 331–333

Udipi, K. 38–40
Urya, T. 225–228

Vacatello, M. 16–19, 236–238
Van Kavelaar, R. F. 151–152
Van Ruiten, J. 116–120
Vasilchenko, D. V. 121–123
van der Velden, G. 80–83
van de Ven, L. 80–83
Vezie, D. L. 10–13
Vogl, O. 354–356
Vorenkamp, E. J. 116–120

Wade Adams, W. 285–287
Wang, F. 123–127, 194–196
Wang, L. S. 248–250
Wang, X. 123–127
Webb, A. G. 363–366
Weigmann, H.-D. 336–338
Weir, N. A. 201–203
Welland, E. L. 302–304
Wicker, A. 251–253
Williams, G. 102–105
Williams, R. J. J. 239–240
Willis, H. A. 180–181
Windle, A. H. 1–4
Winkler, D. A. 50–52
Wittmann, J. C. 251–253
Wong, G. K. 40–43
Wu W.-L. 312–314

Yadav, Y. S. 229–231
Yagi, Y. 203–205
Yang, J. 40–43
Yasar, H. Y. 25–27

Zhou, G.-b. 52–55
Zeigler, J. M. 356–359
Zinbo, M. 322–324

Subject Index

Acrylonitrile
  Polymerization
    Initiator, 92–96
    Kinetics, 136–138
Adhesion
  Diffusion
    Miscibility, 116–120
Adsorption
  Block copolymers
    Model, 324–326
Ageing
  Dielectric relaxation
    Poly(methyl methacrylate), 270–272
  Diffusion coefficient
    Glassy polymer, 331–333
  Polycarbonate
    Poly(methyl methacrylate), 40–43
  Thermal properties
    Polycarbonate, 25–27

Birefringence
  Kevlar
    Optical properties, 151–152
  Poly(ethylene terephthalate)
    Fibre, 341–343
Blends
  Diffusion
    Miscibility, 267–270
  Dynamics
    Light scattering, 45–47
  Hydrogen bonding
    Strength, 111–114
  Miscibility
    Copolymer, 359–361
  Molecular weight
    Degradation, 322–324
  Phase separation
    Chromatography, 89–92
  Small angle neutron scattering
    Phase separation, 143–146
  Spinodal decomposition
    Phase separation, 205–209
  TEM
    Staining, 83–85
  Thermal properties
    Polyethylene, 264–267
Block copolymers
  Adsorption
    Model, 324–326
  Characterization
    Polymerization, 220–223
  Crosslinking
    Micelles, 209–211
  Synthesis
    Characterization, 243–244
Branches
  Neutron scattering
    Deformation, 4–6
  Polyethylene
    Spectroscopy, 180–181

C-13 n.m.r. spectroscopy
  Polyamide
    Relaxation, 80–83
Calorimetry
  Phase transition
    Thermal properties, 22–24
Carboxymethylcellulose
  Characterization
    Chromatography, 254–256
Catalysis
  Phosphorus
    Transesterification, 55–57
  Poly(vinyl chloride)
    Polymerization, 225–228
  Polymerization
    Stereoregulation, 72–73
  Ziegler–Natta
    Polymerization, 16–19
Cellulose
  Nitration
    Nitronium ion salt, 366–368
Cellulose fibres
  Nuclear magnetic resonance
    Nitration, 217–220
Chain
  Copolymer
    Initiator, 317–319
  Polyamide
    Polymerization, 182–183
Chain folding
  Degradation
    Chromatography, 302–304

Characterization
Block copolymers
Polymerization, 220–223
Carboxymethylcellulose
Chromatography, 254–256
FTi.r. spectroscopy
Styrene, 306–308
Siloxane polymer
Synthesis, 86–89
Synthesis
Block copolymers, 243–244
Chloral
Polymerization
Film, 354–356
Chromatography
Degradation
Chain folding, 302–304
Phase separation
Blends, 89–92
Colouration
Electrochemical polymerization
Synthesis, 308–310
Complexes
Molecular orbital calculation
Polymerization, 13–15
Mossbauer spectroscopy
Mobility, 61–63
Polypyrrole
Conductivity, 48–50
Conductivity
Electrolyte
Polysiloxane comb polymers, 52–55
Polypyrrole
Complexes, 48–50
Configuration
Nuclear magnetic resonance
Poly(vinyl alcohol), 215–217
Conformation
Poly(aryl ether ether ketone)
Poly(aryl ether ketone), 77–80
Poly(propylene oxide)
Poly(epichlorohydrin), 376–378
Stability
Isotactic polymer, 236–238
Structure
Poly(silylene), 356–359
Copolyester
Copolymerization
Film, 169–171
Liquid crystalline polymer
X-ray diffraction, 1–4
Copolymer
Initiator
Chain, 317–319
Miscibility
Blends, 359–361
Copolymerization
Copolyester
Film, 169–171
Crosslinking
Block copolymers
Micelles, 209–211
Membrane
Ion conductivity, 58–61
Synthesis
Film, 171–173
Crystal growth
Morphology
Nematic phase, 292–295
Crystal structure
Nylon-6
Hydrogen bonding, 336–338
Crystallization
Kevlar
Mechanical properties, 184–186
Polyethylene
Lamellar morphology, 229–231
X-ray diffraction
Polypropylene, 281–285

Deformation
Branches
Neutron scattering, 4–6
Degradation
Chain folding
Chromatography, 302–304
Dynamics
Birefringence, 298–301
Molecular weight
Blends, 322–324
Photoreaction
Solution, 201–203
Deposition
Poly(vinyl alcohol)
Film, 108–110
Temperature dependence
Coating, 165–169
Dielectric behaviour
Polyacrylamide
Viscosity, 114–116
Dielectric relaxation
Ageing
Poly(methyl methacrylate), 270–272
Diffusion
Adhesion
Miscibility, 116–120
Dynamic mechanical properties
Fluorescence, 272–274
Miscibility
Blends, 267–270
Polystyrene
Microgel, 361–363
Diffusion coefficient
Ageing
Glassy polymer, 331–333
Dinitrotoluene
Nitrocellulose
Hydrogen bonding, 50–52
Doping
Semiconductor
Synthesis, 241–242
Drawing
Fibre
Polyethylene, 28–31
Dynamic mechanical properties
Diffusion
Fluorescence, 272–274
Relaxation
Poly(aryl ether ether ketone), 288–292
Dynamics
Blend
Light scattering, 45–47
Degradation
Birefringence, 298–301

Elastomers
Siloxane polymer
Strength, 275–277
Electrical conduction
Structure
Polypyrrole, 98–101
Electrochemical polymerization
Synthesis
Colouration, 308–310
Colouration
Film, 149–151
Electrolyte
Conductivity
Polysiloxane comb polymers, 52–55
Electron microscopy
Triglycine sulphate
Polymer decoration, 251–253
Elongational flow
Monte-Carlo calculation
Chain conformation, 327–329
Emulsion polymerization
Latex
Surface interactions, 349–352
Epoxy resin
Polymerization
Flexibility, 239–240

FTi.r. spectroscopy
Characterization
Styrene, 306–308
Fibre
Birefringence
Poly(ethylene terephthalate), 341–343
Drawing
Polyethylene, 28–31
Lattice imaging
Morphology, 285–287
Optical properties
Birefringence, 186–189
Film
Poly(vinyl alcohol)
Deposition, 108–110
Polyimide
Irradiation, 43–44
Polymerization
Chloral, 354–356
Synthesis
Crosslinking, 171–173
Fluorescence
Polyelectrolyte
Transition, 310–312
Fracture
Plastic deformation
Model, 330–331
Polystyrene
Morphology, 334–335

Gels
Crosslinking
Gelation, 133–135
Glass transition temperature
Small-angle neutron scattering
Solution, 312–314
Thermo-acoustic properties
Volume changes, 346–348
Glassy polymer
Ageing
Diffusion coefficient, 331–333

Hydrogen bonding
Blends
Strength, 111–114
Dinitrotoluene
Nitrocellulose, 50–52
Nylon-6
Crystal structure, 336–338

Inhomogeneities
Rubber
Nuclear magnetic resonance, 363–366
Initiator
Copolymer
Chain, 317–319
Polymerization
Acrylonitrile, 92–96
Intermolecular forces
Thermodynamics
Thermo-acoustic properties, 343–346
Interpenetration
Solution properties
Model, 139–143
Ion conductivity
Crosslinking
Membrane, 58–61
Ion formation
SIMS
Polystyrene, 74–77
Irradiation
Polyimide
Film, 43–44
Isothermal reactions
Polymerization
Poly(methyl methacrylate), 304–306

Kevlar
Crystallization
Mechanical properties, 184–186
Tensile strength
Polyethylene, 66–68
WAXS
Structure, 10–13

Kinetics
Liquid crystalline polymer
Electrical field alignment, 102–105
Polymerization
Reactivity, 372–375

Lamellar morphology
Crystallization
Polyethylene, 229–231
Latex
Emulsion polymerization
Surface interactions, 349–352
Lattice imaging
Model
Anisotropy, 278–281
Morphology
Fibre, 285–287
Light scattering
Blend
Dynamics, 45–47
Spinodal decomposition
Phase separation, 203–205
Liquid crystalline polymer
Kinetics
Electrical field alignment, 102–105
X-ray diffraction
Copolyester, 1–4

Melting
Polyethylene
WAXS, 7–10
Membrane
Crosslinking
Ion conductivity, 58–61
Methyl methacrylate
Polymerization
Raman spectroscopy, 234–236
Micelles
Block copolymers
Crosslinking, 209–211
Microgel
Diffusion
Polystyrene, 361–363
Miscibility
Adhesion
Diffusion, 116–120
Copolymer
Blends, 359–361
Diffusion
Blends, 267–270
Mobility
Mossbauer spectroscopy
Complexes, 61–63
Model
Block copolymers
Adsorption, 324–326
Fracture
Plastic deformation, 330–331
Lattice imaging
Anisotropy, 278–281
Molecular orbital calculation
Polymerization
Complexes, 13–15
Molecular weight
Degradation
Blends, 322–324
Synthesis
Poly(vinyl methyl ether), 19–21
Monte-Carlo calculation
Elongational flow
Chain conformation, 327–329
Morphology
Blends
Spinodal decomposition, 177–179
Crystal growth
Nematic phase, 292–295
Fracture
Polystyrene, 334–335
Lattice imaging
Fibre, 285–287
Rubber
Nylon-6, 38–40
Toughness
Rubber, 106–108
Mossbauer spectroscopy
Mobility
Complexes, 61–63

Nematic phase
Morphology
Crystal growth, 292–295
Neutron scattering
Branches
Deformation, 4–6
Nitration
Cellulose
Nitronium ion salt, 366–368
Nuclear magnetic resonance
Cellulose fibres, 217–220
Nitrocellulose
Dinitrotoluene
Hydrogen bonding, 50–52
Nitronium ion salt
Nitration
Cellulose, 366–368
Nuclear magnetic resonance
Cellulose fibres
Nitration, 217–220
Electron diffusion
Polyaniline, 194–196
Poly(p-phenylene sulphide)
Crystallinity, 212–214
Poly(vinyl alcohol)
Configuration, 215–217
Rubber
Inhomogeneities, 363–366
Structure
Spectroscopy, 123–127
Synthesis
Structure, 34–35, 36–38
Nylon-6
Crystal structure
Hydrogen bonding, 336–338
Morphology
Rubber, 38–40

Oligomerization
Ternary system
Thermal properties, 369–371
Optical properties
Fibre
Birefringence, 186–189
Optical rotation
Spectral properties
Polyester, 261–263

Phase separation
Blends
Chromatography, 89–92
Spinodal decomposition
Light scattering, 203–205
Phase transition
Calorimetry
Thermal properties, 22–24
Polypropylene
Kinetics, 153–157
Phosphorus
Catalysis
Transesterification, 55–57
Photoinitiation
Photopolymerization
Laser spectroscopy, 245–248
Photopolymerization
Photoinitiation
Laser spectroscopy, 245–248
Photoreaction
Degradation
Solution, 201–203
Plastic deformation
Fracture
Model, 330–331
Poly(aryl ether ether ketone)
Conformation
Poly(aryl ether ketone), 77–80
Poly(aryl ether ketone)
Conformation
Poly(aryl ether ether ketone), 77–80
Poly(epichlorohydrin)
Conformation
Poly(propylene oxide), 376–378
Poly(ethylene terephthalate)
Birefringence
Fibre, 341–343
Poly(methyl methacrylate)
Ageing
Dielectric relaxation, 270–272
Polycarbonate, 40–43
Polymerization
Isothermal reactions, 304–306
Synthesis
Polymerization, 339–340
Poly(propylene oxide)
Conformation
Poly(epichlorohydrin), 376–378
Poly(silylene)
Structure
Conformation, 356–359
Poly(vinyl alcohol)
Deposition
Film, 108–110
Nuclear magnetic resonance
Configuration, 215–217
Poly(vinyl chloride)
Catalysis
Polymerization, 225–228
Poly(vinyl methyl ether)
Synthesis
Molecular weight, 19–21
Polyacrylamide
Viscosity
Dielectric behaviour, 114–116
Polyamide
C-13 n.m.r. spectroscopy
Relaxation, 80–83
Chain
Polymerization, 182–183
Polycarbonate
Ageing
Poly(methyl methacrylate), 40–43
Thermal properties
Ageing, 25–27
Polyelectrolyte
Fluorescence
Transition, 310–312
Viscosity
Solution, 223–224
Polyester
Optical rotation
Spectral properties, 261–263
Polyethylene
Branches
Spectroscopy, 180–181
Crystallization
Lamellar morphology, 229–231
Drawing
Fibre, 28–31
Strength
Shear, 69–71
Tensile strength
Kevlar, 66–68
Thermal properties
Blends, 264–267
WAXS
Melting, 7–10
Polyimide
Film
Irradiation, 43–44
Polymerization
Acrylonitrile
Initiator, 92–96
Catalysis
Stereoregulation, 72–73
Characterization
Block copolymers, 220–223
Epoxy resin
Flexibility, 239–240

Film
Chloral, 354–356
Kinetics
Reactivity, 372–375
Molecular orbital calculation
Complexes, 13–15
Poly(methyl methacrylate)
Isothermal reactions, 304–306
Poly(vinyl chloride)
Catalysis, 225–228
Polyamide
Chain, 182–183
Raman spectroscopy
Methyl methacrylate, 234–236
Stereoregulation
Homopolymers, 258–260
Styrene
Chain transfer, 248–250
Synthesis
Poly(methyl methacrylate), 339–340
Ziegler–Natta
Catalysis, 16–19
Polypropylene
X-ray diffraction
Crystallization, 281–285
Polypyrrole
Conductivity
Complexes, 48–50
Electrical conduction
Structure, 98–101
Polysiloxane comb polymers
Conductivity
Electrolyte, 52–55
Polystyrene
Diffusion
Microgel, 361–363
Ellipsoidal particles
Rigid-rod behaviour, 130–132
Fracture
Morphology, 334–335
SIMS
Ion formation, 74–77
Solution properties
Thermodynamics, 315–317
Viscosity
Theta temperature, 174–176

Raman spectroscopy
Polymerization
Methyl methacrylate, 234–236
Reactivity
Polymerization
Kinetics, 372–375
Relaxation
Dynamic mechanical properties
Poly(aryl ether ether ketone), 288–292
Polyamide
C-13 n.m.r. spectroscopy, 80–83
Rubber
Morphology
Nylon-6, 38–40
Nuclear magnetic resonance
Inhomogeneities, 363–366
Toughness
Morphology, 106–108

SIMS
Polystyrene
Ion formation, 74–77
Semiconductor
Doping
Synthesis, 241–242
Shear
Polyethylene
Strength, 69–71
Siloxane polymer
Elastomers
Strength, 275–277
Synthesis
Characterization, 86–89
Small-angle neutron scattering
Glass transition temperature
Solution, 312–314
Ionomer
Structure, 162–165
Sol-gel transition
Conductivity
Electrolyte, 200–201
Solution
Photoreaction
Degradation, 201–203
Polyelectrolyte
Viscosity, 223–224
Small-angle neutron scattering
Glass transition temperature, 312–314
Solution properties
Thermodynamics
Polystyrene, 315–317
Spectral properties
Optical rotation
Polyester, 261–263
Spinodal decomposition
Phase separation
Blends, 205–209
Light scattering, 205–205
Stability
Conformation
Isotactic polymer, 236–238
Staining
TEM
Blends, 83–85
Star polymer
Melts
Functionality, 146–149
Stereoregulation
Polymerization
Catalysis, 72–73
Strength
Elastomers
Siloxane polymer, 275–277
Hydrogen bonding
Blends, 111–114
Polyethylene
Shear, 69–71
Structure
Electrical conduction
Polypyrrole, 98–101
Nuclear magnetic resonance
Spectroscopy, 123–127
Poly(silylene)
Conformation, 356–359
Synthesis
Nuclear magnetic resonance, 34–35, 36–38
WAXS
Kevlar, 10–13
X-ray diffraction
Poly(vinyl ferrocene), 190–192
Styrene
FTi.r. spectroscopy
Characterization, 306–308
Polymerization
Chain transfer, 248–250
Surface interactions
Emulsion polymerization
Latex, 349–352
Synthesis
Amine
X-ray spectroscopy, 157–160
Characterization
Block copolymers, 243–244
Crosslinking
Film, 171–173
Doping
Semiconductor, 241–242
Electrochemical polymerization
Colouration, 308–310
Poly(vinyl methyl ether)
Molecular weight, 19–21
Polymerization
Poly(methyl methacrylate), 339–340
Siloxane polymer
Characterization, 86–89
Structure
Nuclear magnetic resonance, 34–35, 36–38
TEM
Staining
Blend, 83–85
Temperature dependence
Deposition
Coating, 165–169
Viscoelasticity
Ternary system, 121–123
Tensile strength
Polyethylene
Kevlar, 66–68
Ternary system
Thermal properties
Oligomerization, 369–371
Viscoelasticity
Temperature dependence, 121–123
Thermal properties
Ageing
Polycarbonate, 25–27
Blends
Polyethylene, 264–267
Phase transition
Calorimetry, 22–24
Ternary system
Oligomerization, 369–371
Thermo-acoustic properties
Glass transition temperature
Volume changes, 346–348
Thermodynamics
Intermolecular forces, 343–346
Thermodynamics
Intermolecular forces
Thermo-acoustic properties, 343–346
Solution properties
Polystyrene, 315–317
Theta temperature
Viscosity
Polystyrene, 174–176
Toughness
Rubber
Morphology, 106–108
Transesterification
Catalysis
Phosphorus, 55–57
Transition
Fluorescence
Polyelectrolyte, 310–312

Viscoelasticity
Ternary system
Temperature dependence, 121–123
Viscosity
Polyacrylamide
Dielectric behaviour, 114–116
Polyelectrolyte
Solution, 223–224
Theta temperature
Polystyrene, 174–176
Volume changes
Glass transition temperature
Thermo-acoustic properties, 346–348

WAXS
Kevlar
Structure, 10–13
Polyethylene
Melting, 7–10

X-ray diffraction
Liquid crystalline polymer
Copolyester, 1–4
Polypropylene
Crystallization, 281–285
Structure
Poly(vinyl ferrocene), 190–192
X-ray scattering
Polyaniline
Crystallinity, 196–199

Ziegler–Natta
Polymerization
Catalysis, 16–19